



Zarządzanie
Jakością
ISO 9001:2015

DECLARATION OF PERFORMANCE DoP- nr 4/1/2022

1. Identification of product type:

DekDrain Edge System MAX-DRAIN SLIM

2. Intendend use:

Drainage channels Type M made fromm PP for collecting and draining surface water from vehicular and pedestrian areas. Gratings made from PP.

Load class A15 - areas that can be used by pedestrians and bicyclists.

Load class B125 - sidewalks, pedestrian zones and other areas of a similar nature, car parks or bays for passenger cars.

3. Manufacturer:

Manufacturer of DOMELO brand: ZMM MAXPOL Sp. z o.o.,
Al. L. Okulickiego 16C, 35-206 Rzeszów
www.zmm-maxpol.pl

4. Assesement and verification of constancy of performance: System 3

5. Harmonised standard: PN-EN 1433:2005, PN-EN 1433:2005/A1:2007

Notified body: Centrum Technologiczne Budownictwa, University of technology Sp. z o.o. ul. Przemysłowa 23, 35-105 Rzeszów
Notified laboratory nr NB2039.

6. Declared performance:

<i>Essential characteristics</i>	<i>Performance</i>	<i>Standard</i>
Water tightness	No leakages	PN-EN 1433:2005/A1:2007 Chapter 7.5.1
Bearing of loads: - max. loading - deformation under load	Load class A15, B125 Fullfield Fullfield	PN-EN 1433:2005/A1:2007 Chapter 7.15 Chapter 7.16
Durability	NPD	PN-EN 1433:2005/A1:2007 Chapter 6

Premium
innovative
production
solutions.

ZMM Maxpol Sp. Z o.o.
Al. Okulickiego 16c
35-206 Rzeszów
Polska

TEL. +48 17 863 04 47
FAX +48 17 863 04 47
sekretariat@zmm-maxpol.pl
zmm-maxpol.pl

NIP 517 03 83 818 | REGON 368147590
KRS 0000690263, Krajowy Rejestr Sądowy Sądu
Rejonowego w Rzeszowie, XII Wydział Gospodarczy,
KAPITAŁ ZAKŁADOWY 1 000 000,00 PLN



Zarządzanie
Jakością
ISO 9001:2015

The performance of the product specified above is in accordance with the set of declared performance. This declaration of performance is issued in accordance with Regulation (EU) No 305/2011 under the sole responsibility of the manufacturer identified above.

Rzeszów, 01.08.2022

Signed on
behalf of the manufacturer: ZMM MAXPOL Sp. z o.o.

Owner
MSc. Andrzej Polak

ZMM MAXPOL SP. Z O.O.
PREZES ZARZĄDU

mgr inż. Andrzej Polak

**Premium
innovative
production
solutions.**

ZMM Maxpol Sp. Z o.o.
Al. Okulickiego 16c
35-206 Rzeszów
Polska

TEL. +48 17 863 04 47
FAX +48 17 863 04 47
sekretariat@zmm-maxpol.pl
zmm-maxpol.pl

NIP 517 03 83 818 | REGON 368147590
KRS 0000690263, Krajowy Rejestr Sądowy Sądu
Rejonowego w Rzeszowie, XII Wydział Gospodarczy,
KAPITAŁ ZAKŁADOWY 1 000 000,00 PLN



Zarządzanie
Jakością
ISO 9001:2015

Annex to the Declaration of performance DoP- nr 4/1/2022

Product list ZMM MAXPOL Sp. z o.o.

SYSTEM MAX- DRAIN SLIM

ART. NR	NAME	BARCODE
8321	MAX-DRAIN SLIM CORNER QUAD WITH PP GRATING	5902510821074
8320	MAX-DRAIN SLIM SLOT DRAIN CHANNEL PP B125	5902510821067
8318	MAX-DRAIN SLIM CHANNEL WITH PP V GRATING A15	5902510821043
8319	MAX-DRAIN SLIM CHANNEL WITH PP Z GRATING A15	5902510821050
8566	MAX-DRAIN SLIM SLOT DRAIN GARAGEPACK PP B125	5902510821111
8564	MAX-DRAIN SLIM GARAGEPACK WITH PP V GRATING A15	5902510821098
8565	MAX-DRAIN SLIM GARAGEPACK WITH PP Z GRATING A15	5902510821104
8316	MAX-DRAIN SLIM CORNER QUAD EXTENSION	5902510821036
8313	MAX-DRAIN SLIM OUTLET VERTICAL 110	5902510821012
8314	MAX-DRAIN SLIM END CAP	5902510821029

Rzeszów, 01.08.2022

ZMM MAXPOL SP. Z O.O.
PREZES ZARZĄDU


mgr inż. Andrzej Polak

Premium
innovative
production
solutions.

ZMM Maxpol Sp. Z o.o.
Al. Okulickiego 16c
35-206 Rzeszów
Polska

TEL. +48 17 863 04 47
FAX +48 17 863 04 47
sekretariat@zmm-maxpol.pl
zmm-maxpol.pl

NIP 517 03 83 818 | REGON 368147590
KRS 0000690263, Krajowy Rejestr Sądowy Sądu
Rejonowego w Rzeszowie, XII Wydział Gospodarczy,
KAPITAŁ ZAKŁADOWY 1 000 000,00 PLN

